

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Wenhua Lin

Serial No.: 09/872,473

Filed: June 1, 2001



Group No.: 2874

Examiner: Unknown

Docket No. LIGHT1960

For: TUNABLE DISPERSION COMPENSATOR

CERTIFICATION UNDER 37 CFR § 1.8

I hereby certify that the documents referred to as enclosed herein are being deposited with the United States Postal Service as first class mail on this date 8 January 2002, in an envelope addressed to:
Assistant Commissioner for Patents, Washington, D.C. 20231

8 January 2002
Date

Terrance A. Meador
Signature

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

INFORMATION DISCLOSURE STATEMENT

Applicant hereby cites the documents listed in accompany Form PTO-1449 with respect to the above-referenced patent application under the provisions of 37 CFR 1.97(b). Copies of the documents are attached.

The Examiner is respectfully requested to make the listed documents of record in connection with the prosecution of the subject application.

Respectfully submitted,

Date: 8 January 2002

Terrance A. Meador
TERRANCE A. MEADOR
Attorney for Applicant(s)
Registration No. 30,298


GRAY CARY WARE & FREIDENRICH
4365 Executive Drive, Suite 1100
San Diego, CA 92121-2133

Phone: 858/638-6747

Fax: 858/638-6727

RECEIVED
FEB - 4 2002
TC 2800 MAIL ROOM

Under the Paperwork Reduction Action of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB number.

| | | | | | | |
|---|-----------|--|---|--------------------------|------------|--|
| Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets necessary) | | | | COMPLETE IF KNOWN | | |
| | | | | Application Number | 09/872,473 | |
| | | | | Filing Date | 06/01/01 | |
| | | | | First Named Inventor | Lin | |
| | | | | Group Art Unit | 2874 | |
| Examiner Name | Unknown |  | | | | |
| Docket Number | LIGHT1960 | | | | | |
| SHEET | 2 | OF | 6 | | | |

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | T ⁶ |
|--------------------|-----------------------|---|----------------|
| ✓ | 26 | AMANN, M.C. et al, <i>Calculation Of The Effective Refractive-Index Step For The Metal-Cladded-Ridge-Waveguide Laser</i> , Applied Optics, VOL 20, No.8, Apr 15 1981, pg 1483-1486 | |
| ✓ | 27 | BABA, S. et al., <i>A Novel Integrated-Twin-Guide (ITG) Optical Switch with a Built-in TIR Region</i> ; IEEE Photonics Technology Letters; VOL 4, No.5, May 1992, pg 486-488 | |
| ✓ | 28 | BENSON, T.M., <i>Etched-Wall Bent-Guide Structure for Integrated Optics in the III-V Semiconductors</i> ; Journal of Lightwave Technology, VOL LT-2, No.1, Feb 1984; pg 31-34 | |
| ✓ | 30 | BERRY, G.M. et al., <i>Analysis Of Multiplayer Semiconductor Rib Waveguides With High Refractive Index Substrates</i> , Electronics Letters; VOL 29, No.22; Oct 28 1993, pg 1941-1942 | |
| ✓ | 31 | BETTY, I. et al., <i>A Robust, Low-Crosstalk, InGaAsP/InP Total-Internal-Reflection Switch For Optical Cross-Connect Application</i> | |
| ✓ | 32 | BURKE, S.V., <i>Spectral Index Method Applied to Coupled Rib Waveguides</i> ; Electronics Letters, VOL 25, No.9, Apr 27 1989, pg 605-606 | |
| ✓ | 33 | BURNS, W.K. et al., <i>Mode Conversion in Planar-Dielectric Separating Waveguides</i> ; IEEE Journal of Quantum Electronics, VOL QE-11, No.1, Jan 1975; pg 32-39 | |
| ✓ | 34 | CAI, Y. et al., <i>A Novel Three-Guide Optical Coupler Using A Taper-Formed Waveguide</i> ; j. Appl. Phys 69(5), Mar 1991; pg 2810-2814 | |
| ✓ | 35 | CAVAILLES, J.A. et al., <i>First Digital Optical Switch Based on InP/GaInAsP Double Heterostructure Waveguides</i> ; Electronics Letters, VOL 27, No.9, Apr 25 1991, pg 699-700 | |
| ✓ | 36 | CHEN, R.T. et al., <i>Design and Manufacturing of WDM Devices</i> ; Proceedings of SPIE VOL 3234 | |
| ✓ | 37 | CLEMENS, et al., <i>Wavelength-Adaptable Optical Phased Array in SiO₂-Si</i> , Photonics Technology Letters, October 1995, Vol. 7-No 10, 1040-1041. | |
| ✓ | 38 | DAGLI, N. et al., <i>Analysis of Rib Dielectric Waveguides</i> ; IEEE Journal of Quantum Electronics, VOL QE-21, No.4, Apr 1985, Pg 315-321 | |
| | 39 | DAGLI, N. et al., <i>Theoretical and Experimental Study of the Analysis and Modeling of Integrated Optical Components</i> ; IEEE Journal of Quantum electronics, VOL 24, No.11, November 1988; pg 2215-2226 | |
| ✓ | 40 | DERI, R.J., et al., <i>Low-Loss GaAs/AlGaAs Waveguide Phase Modulator Using A W- Shaped Index Profile</i> ; Sep 6 1988 | |
| ✓ | 41 | DERI, R.J., et al., <i>Low-Loss Multiple Quantum Well GaInAs/InP Optical Waveguides</i> ; Feb 21, 1989 | |
| ✓ | 42 | DEVAUX, F. et al., <i>20Gbit/s Operation of a High-Efficiency InGaAsP/InGaAsP MQW Electroabsorption Modulator With 1.2-V Drive Voltage</i> ; IEEE Photonics Technology Letters, VOL 5, No.11, Nov 1993, pg 1288-1290 | |
| ✓ | 43 | DOERR, C.R. et al., <i>Chirping Of The Waveguide Grating Router For Free-Spectral-Range Mode Selection In The Multifrequency Laser</i> , IEEE Photonics Technology Letters, April 1996, Vol. 8-No. 4, pp 500-502 | |
| ✓ | 44 | DOERR, C.R. et al., <i>Chromatic Focal lane Displacement in the Parabolic Chirped Waveguide Grating Router</i> , May 1997, Vol. 9-No. 5, pp 625-627 | |
| ✓ | 45 | DRAGONE, c. <i>Efficient NxN Star Couplers Using Fourier Optics</i> , pp 479-48, March 1989, Vol. 7-No. 3, Journal of Lightwave Technology | |
| ✓ | 46 | FISCHER, et al., <i>Singlemode Optical Switches Based on SOI Waveguides with Large Cross-Section</i> , Electronics Letters, March 3, 1994, Vol. 30-No.5, pp. 406-408. | |
| ✓ | 47 | FISCHER, K. et al, <i>Sensor Application Of SiON Integrated Optical Waveguides On Silicon</i> ; Elevier Sequoia, 1992; pg 209-213 | |
| ✓ | 48 | FISH, G. et al., <i>Monolithic InP Optical Crossconnects: 4x4 and Beyond</i> , JWB2-1, Pg 19-21 | |
| ✓ | 49 | FURUTA, H. et al, <i>Novel Optical Waveguide For Integrated Optics</i> , Applied Optics, VOL. 13, NO. 2, Feb. 1974, pg. 322-326 | |
| ✓ | 50 | GINI, E. et al., <i>Low Loss Self-Aligned Optical Waveguide Corner Mirrors in InGaAsP/InP</i> , We P2.22 | |
| ✓ | 51 | GOEL, K. et al <i>Design Considerations for Low Switching Voltage Crossing Channel Switches</i> ; Journal of Lightwave Technology, VOL 6, No.6, June 1988; pg 881-886 | |

Examiner Signature

Date Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3).

⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

| | | | | | | |
|---|---------|----|---|--------------------------|------------|--|
| Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets necessary) | | | | COMPLETE IF KNOWN | | |
| | | | | Application Number | 09/872,473 | |
| | | | | Filing Date | 06/01/01 | |
| | | | | First Named Inventor | Lin | |
| | | | | Group Art Unit | 2874 | |
| Examiner Name | Unknown | | | | | |
| SHEET | 1 | OF | 6 | Docket Number | LIGHT1960 | |

U.S. PATENT DOCUMENTS

| Examiner Initials* | Cite No. ¹ | U.S. Patent Document | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
|--------------------|-----------------------|----------------------|-----------------------------------|---|--|---|
| | | Number | Kind Code ² (If known) | | | |
| | 1 | 4,618,210 | | Kondo | 10-21-1986 | |
| | 2 | 4,747,654 | | Yi-Yan | 03-31-1988 | |
| | 3 | 4,813,757 | | Sakano et al. | 03-21-1989 | |
| | 4 | 4,846,542 | | Okayama | 07-11-1989 | |
| | 5 | 5,002,350 | | Dragone | 03-26-1991 | |
| | 6 | 5,013,113 | | Soref | 05-07-1991 | |
| | 7 | 5,039,993 | | Dragone | 08-13-1991 | |
| | 8 | 5,243,672 | | Dragone | 09-07-1993 | |
| | 9 | 5,412,744 | | Dragone | 05-02-1995 | |
| | 10 | 5,450,511 | | Dragone | 09-12-1995 | |
| | 11 | 5,467,418 | | Dragone | 11-14-1995 | |
| | 12 | 5,581,643 | | Wu | 12-03-1996 | |
| | 13 | 5,706,377 | | Li | 01-06-1998 | |
| | 14 | 5,841,931 | | Foresi et. al. | 11-24-1998 | |
| | 15 | 5,938,811 | | Greene | 08-17-1999 | |
| | 16 | 6,108,478 | | Harpon et al. | 08-22-2000 | |
| | 17 | 6,118,909 | | Chen et al. | 09-12-2000 | |

FOREIGN PATENT DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Foreign Patent Document | | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ⁶ |
|--------------------|-----------------------|-------------------------|---------------------|-----------------------------------|---|--|---|----------------|
| | | Office ³ | Number ⁴ | Kind Code ⁵ (If known) | | | | |
| ✓ | 18 | EPO | 0647861A1 | | AT&T Corp. | 12.04.1995 | | |
| ✓ | 19 | EPO | 0985942A2 | | Lucent Technologies, Inc. | 15.03.2000 | | |
| ✓ | 20 | Japan | 2-179621 | | Oki Electric Ind. Co. Ltd. | 12.7.1990 | | |
| ✓ | 21 | Japan | 6-186598 | | Hitachi Ltd. | 8.7.1994 | | |
| ✓ | 22 | Japan | 63-197923 | | NEC Corp. | 16.8.1988 | | |

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | T ⁶ |
|--------------------|-----------------------|---|----------------|
| ✓ | 23 | ABE, et al., <i>Optical Path Length Trimming Technique using Thin Film Heaters for Silica-Based Waveguides on Si</i> , Electronics Letters, September 12, 1996, Vol. 32-No. 19, pp. 1818-1820. | |
| ✓ | 24 | ALBERT, J., <i>Planar Fresnel Lens Photoimprinted in a Germanium-Doped Silica Optical Waveguide</i> , Optics Letters, May 15, 1995, Vol. 20-No. 10, pp 1136-1138 | |
| ✓ | 25 | AMAN, M.C., <i>Calculation of Metal-Clad Ridge-Waveguide (MCRW) Laser Modes by Mode Coupling Technique</i> , Journal of Lightwave Technology, VOL LT-4, No.6, June 1986, pg 689-693 | |

Examiner Signature

Date Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.


Please type a plus sign (+) inside the box ☒

PTO/SB/08B (08-00)

Approved for use through 10/31/2002. OMB 0651-003
U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

| | | | | | |
|---|---------|--------------------------|------------|---------------|-----------|
| Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets necessary) | | COMPLETE IF KNOWN | | | |
| | | Application Number | 09/872,473 | | |
| | | Filing Date | 06/01/01 | | |
| | | First Named Inventor | Lin | | |
| | | Group Art Unit | 2874 | | |
| Examiner Name | Unknown | | | | |
| SHEET | 3 | OF | 6 | Docket Number | LIGHT1960 |



| OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS | | | | |
|---|-----------------------|---|--|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | | T ⁶ |
| ✓ | 52 | GRANESTRAND, P. et al., <i>Integrated Optics 4x4 Switch Matrix with Digital Optical Switches</i> ; Electronics Letters, VOL 26, No.1, Jan 4, 1990; pg 4-5 | | o |
| ✓ | 53 | HIMENO, A. et al., <i>Loss Measurement and Analysis of High-Silica Reflection Bending Optical Waveguides</i> , Journal of Lightwave Technology, January 1988, Vol. 6-No. 1, 41-46. | | - |
| ✓ | 54 | HSU, K.Y. et al., <i>Photonics devices and Modules</i> , www.cc.nctu.edu.tw/~ctr/lee_mti/research_topic/photonic_devices_modules.htm , pp 1-3. | | . |
| ✓ | 55 | HUANG, T.C. et al., <i>Depletion Edge Translation Waveguide Crossing Optical Switch</i> ; IEEE Photonics Technology Letters; VOL 1, No.7, Jul 1989, pg 168-170 | | . |
| ✓ | 56 | HUTCHESON, L.D. et al., <i>Comparison of Bending Losses in Integrated Optical Circuits</i> ; Optics Letters, VOL 5, No.6, Jun 1980, pg 360-362 | | . |
| ✓ | 57 | INOUE, H. et al., <i>Low Loss GaAs Optical Waveguides</i> , Journal of Lightwave Technology, VOL LT-3, No.6, Dec. 1985; pg 204-209 | | . |
| ✓ | 58 | IRACE, A. et al., <i>Fast Silicon-on-Silicon Optoelectronic Router Based on a BMFET Device</i> , Journal of Selected Topics in Quantum Electronics, January/February 2000, Vol. 6-No. 1, pp. 14-18. | | . |
| ✓ | 59 | ITO, F. et al., <i>Carrier-Injection-Type Optical Switch in GaAs With A 1.06-1.55 μm Wavelength Range</i> ; Appl. Physics Letters, 54(2) Jan 9, 1989; pg 134-136 | | . |
| ✓ | 60 | JACKMAN, N. et al., <i>Optical Cross Connects for Optical Networking</i> ; Bell Labs Technical Journal, Jan-Mar. 1999; pg 262-281 | | . |
| ✓ | 61 | JOHNSTON, I.R., et al., <i>Silicon-Based Fabrication Process For Production Of Optical Waveguides</i> ; IEE Proc-Optoelectron., VOL 143, No.1, Feb 1996, pg 37-40 | | . |
| ✓ | 62 | KAENKO, A. et al., <i>Athermal Silica-based Arrayed-waveguide Grating (AWG) Multiplexers with New Low Loss Groove Design</i> ; TuQ1-1, pg 204-206 | | . |
| ✓ | 63 | KASAHARA, R. et al., <i>Low-Power Consumption Silica-Based 2x2 Thermo-optic Switch Using Trenched Silicon Substrate</i> , IEEE Photonics Technology Letters, VOL 11, No. 9, Sep 1999, pg 1132-1134 | | . |
| ✓ | 64 | KHAN, M.N. et al., <i>Fabrication-Tolerant, Low-Loss, and High-Speed Digital Optical Switches in InGaAsP/InP Quantum Wells</i> ; Proc 21 st Eur.Conf.on Opt.Comm.(ECOC '95-Brussels), pg 103-106 | | . |
| ✓ | 65 | KHAN, M.N. et al., <i>High-Speed Operation of Quantum Well Electron Transfer Digital Optical Switches</i> ; pg 102-102c | | . |
| ✓ | 66 | KIRIHARA, T. et al., <i>Lossless And Low Crosstalk 4x4 Optical Switch Array</i> ; Electronics And Communications In Japan, Part 2, VOL 77, No.11, 1994, pg 73-81 | | . |
| ✓ | 67 | KIRIHARA, T. et al., <i>Lossless and Low-Crosstalk Characteristics in an InP-Based 2x2 Optical Switch</i> , IEEE Photonics Technology Letters, VOL 5, No. 9 Sept 1993, pg 1059-1061 | | . |
| ✓ | 68 | KOKUBUN, Y. et al., <i>Athermal Waveguides for Temperature-Independent Lightwave Devices</i> , November 1993, 1297-1298, Vol. 5-NO. 11, IEEE Photonics Technology Letters. | | . |
| ✓ | 69 | KOKUBUN, Y. et al., <i>Temperature-Independent Narrowband Optical Filter at 1.3 μm Wavelength by an Athermal Waveguide</i> , 10 th October 1996, Vol. 32-No. 21, Electronics Letters | | . |
| ✓ | 70 | KOKUBUN, Y. et al., <i>Temperature-Independent Optical Filter at 1.55 μm Waveguide Using a Silica-Based Athermal Waveguide</i> , 19 February 1998, Vol. 34-No. 4, Electronics Letters | | . |
| ✓ | 71 | KOKUBUN, Y. et al., <i>Three-Dimensional Athermal Waveguides for Temperature Independent Lightwave Devices</i> , 21 st July 1994, Vol. 30-No. 15, Electronics Letters | | . |
| ✓ | 72 | KOSTRZEWA, C. et al., <i>Tunable Polymer Optical Add/Drop Filter for Multiwavelength Networks</i> , Photonics Technology Letters, November 1997, Vol. 9-No. 11, 1487-1489. | | . |
| ✓ | 73 | LAAKMAN, K. D. et al., <i>Waveguides: Characteristic Modes Of Hollow Rectangular Dielectric Waveguides</i> ; Applied Optics, VOL 15, No. 5, May 1976; pg 1334-1340. | | . |

| | |
|--------------------|-----------------|
| Examiner Signature | Date Considered |
|--------------------|-----------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3).

⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

Please type a plus sign (+) inside the box ☒


PTO/SB/08B (08-00)

Approved for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

| | | | | | |
|---|---|--------------------------|------------|---------------|-----------|
| Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets necessary) | | COMPLETE IF KNOWN | | | |
| | | Application Number | 09/872,473 | | |
| | | Filing Date | 06/01/01 | | |
| | | First Named Inventor | Lin | | |
| | | Group Art Unit | 2874 | | |
| | | Examiner Name | Unknown | | |
| SHEET | 4 | OF | 6 | Docket Number | LIGHT1960 |



| OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS | | | |
|---|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | T ⁶ |
| ✓ | 74 | LEE, T.P. et al., <i>AlGaAs Double-Heterostructure Rib-Waveguide Injection Laser</i> , IEEE Journal of Quantum Electronics, VOL QE-11, No.7, July 1975; pg 432-435 | ✓ |
| ✓ | 75 | LIU, Y.L. et al., <i>Silicon 1x2 Digital Optical Switch Using Plasma Dispersion</i> , Electronics Letters, VOL 30, No.2, Jan20, 1994; pg 130-131 | ✓ |
| ✓ | 78 | MAK, G. et al., <i>High-Speed Bulk InGaAsP-InP Electroabsorption Modulators with Bandwidth in Excess of 20 GHz</i> , IEEE Photonics Technology Letter, VOL 2, No.10, Oct 1990, pg 730-733 | ✓ |
| ✓ | 77 | MARCATILI, E., <i>Improved Coupled-Mode Equations for Dielectric Guides</i> , IEEE Journal of Quantum Electronics, VOL QE-22, No.6, June 1986; pg 988-993 | ✓ |
| ✓ | 78 | MARCATILI, E.A.J., <i>Bends in Optical Dielectric Guides</i> , The Bell System Technical Journal, Sep 1969; pg 2103-2132 | ✓ |
| ✓ | 79 | MARCATILI, E.A.J., <i>Dielectric Rectangular Waveguide and Directional Coupler for Integrated Optics</i> , The Bell System Technical Journal, Sept 1969 pg 2071-2101 | ✓ |
| ✓ | 80 | MARCATILI, E.A.J., <i>Slab-Coupled Waveguides</i> , The Bell System Technical Journal, April 1974; American Telephone & Telegraph Company, VOL 53, No.4, April 1974 | ✓ |
| ✓ | 81 | MIRZA, A.R. et al., <i>Silicon Wafer Bonding For MEMS Manufacturing</i> , Solid State Technology, Aug 1999, pg 73-78 | ✓ |
| ✓ | 82 | MOERMAN, I. et al., <i>A Review on Fabrication Technologies for the Monolithic Integration of Tapers with III-V Semiconductor Devices</i> , IEEE Journal of Selected Topics in Quantum electronics, VOL 3, No.6, Dec. 1997, pg 1308-1320 | ✓ |
| ✓ | 83 | MÜLLER, G. et al., <i>First Low Loss InP/InGaAsP Optical Switch with Integrated Mode Transformers</i> , ThC12.10; Pg 37-40 | ✓ |
| ✓ | 84 | NAYYER, J. et al., <i>Analysis of Reflection-Type Optical Switches with Intersecting Waveguides</i> , Journal of Lightwave Technology, VOL 6, No.6, June 1988; pg 1146-1152 | ✓ |
| ✓ | 85 | NEGAMI, I. et al., <i>Guided-Wave Optical Wavelength Demultiplexer Using An Asymmetric Y Junction</i> , Appl. Phys. Lett. 54 (12), Mar 20, 1989; pg 1080-1082 | ✓ |
| ✓ | 86 | NELSON, W. et al., <i>Optical Switching Expands Communications-Network Capacity</i> , Laser Focus World, Jun 1994, pg 517-520 | ✓ |
| ✓ | 87 | NELSON, W.H. et al., <i>Wavelength-and Polarization-Independent Large Angle InP/InGaAsP Digital Optical Switches with Extinction Ratios Exceeding 20 dB</i> , IEEE Photonics Technology Letters, VOL 6, No.11, Nov. 1994; pg 1332-1334 | ✓ |
| ✓ | 88 | NODA, Y. et al., <i>High-Speed Electroabsorption Modulator with Strip-Loaded GainAsP Planar Waveguide</i> , Journal of Lightwave Technology, VOL LT-4, No.10, Oct 1986, pg 1445-1453 | ✓ |
| ✓ | 89 | OFFREIN, B.J. et al., <i>Resonant Coupler-Based Tunable Add-After-Drop Filter in Silicon-Oxynitride Technology for WDM Networks</i> , Journal of Selected Topics in Quantum Electronics, Vol. 5-No. 5, 1400-1405. | ✓ |
| ✓ | 90 | OKAMOTO, K. et al., <i>Arrayed-Waveguide Grating Multiplexer With Flat Spectral Response</i> , Optics Letters, Jan 1 1995; VOL 20, No.1; Pg 43-45 | ✓ |
| ✓ | 91 | OKAMOTO, K. et al., <i>Flat Spectral Response Arrayed-Waveguide Grating Multiplexer with Parabolic Waveguide Horns</i> , Electronics Letters Online, July 15, 1996, No. 19961120, pp. 1661-1662. | ✓ |
| ✓ | 92 | OKAYAMA, H. et al., <i>8x8 Ti:LiNbO₃ Waveguide Digital Optical Switch Matrix</i> , IEICE Trans. Commun., VOL E77-B, No.2; Feb. 1994; pg 204-208 | ✓ |
| ✓ | 93 | OKAYAMA, H. et al., <i>Dynamic Wavelength Selective Add/Drop Node Comprising Tunable Gratings</i> , Electronics Letters Online, April 10, 1997, No. 19970607. | ✓ |
| ✓ | 94 | OKAYAMA, H. et al., <i>Reduction of Voltage-Length Product for Y-Branch Digital Optical Switch</i> , Journal of Lightwave Technology, VOL 11, No.2, Feb 1993; pg 379-387 | ✓ |
| ✓ | 95 | OKUNO, M. et al., <i>Strictly Nonblocking 16x16 Matrix Switch Using Silica Based Planar Lightwave Circuits</i> , VOL 10, No.266, Sep 11, 1986 | ✓ |
| ✓ | 96 | OOBA, N. et al., <i>Athermal Silica-Based Arrayed-Waveguide Grating Multiplexer Using Bimetal Plate Temperature Compensator</i> , Electronics Letters, 12 th October 2000, Vol. 36, No. 21, pg 1800-1801 | ✓ |

| | |
|--------------------|-----------------|
| Examiner Signature | Date Considered |
|--------------------|-----------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3).

⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.


Please type a plus sign (+) inside the box ☒

PTO/SB/08B (08-00)

Approved for use through 10/31/2002. OMB 0651-003
U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

| | | | | | |
|---|---------|--------------------------|------------|---------------|-----------|
| Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets necessary) | | COMPLETE IF KNOWN | | | |
| | | Application Number | 09/872,473 | | |
| | | Filing Date | 06/01/01 | | |
| | | First Named Inventor | Lin | | |
| | | Group Art Unit | 2874 | | |
| Examiner Name | Unknown | | | | |
| SHEET | 5 | OF | 6 | Docket Number | LIGHT1960 |



| OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS | | | |
|---|-----------------------|---|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | T ⁶ |
| ✓ | 97 | RENAUD, M. et al., <i>Compact Digital Optical Switches for Low Insertion Loss Large Switch Arrays on InP</i> , Proc. 21 st Eur. Conf. on Opt. Comm. (ECOC '95-Brussels), pg 99-102 | . |
| ✓ | 98 | RICKMAN, A.G. et al., <i>Silicon-on-Insulator Optical Rib Waveguide Loss and Mode Characteristics</i> , Journal of Lightwave Technology, October 1994, Vol. 12-No. 10, pp 1771-1776 | . |
| ✓ | 99 | ROLLAND, C. et al., <i>10 Gbit/s, 1.56 μm, Multiquantum Well InP/InGaAsP Mach-Zehnder Optical Modulator</i> , Electronics Letters, Mar 4, 1993, VOL 29, No.5, pg 471-472 | . |
| ✓ | 100 | Santec Sales Brochure for year 2000 entitled "Optical Components" | . |
| ✓ | 101 | SCHAUWECKER, B. et al., <i>Small-Size Silicon-Oxynitride AWG Demultiplexer Operating Around 725 nm</i> , IEEE Photonics Technology Letters, Vol. 12 No. 12, December 2000 | . |
| ✓ | 102 | SCHLACHETZKI, A. <i>Monolithic IO-Technology-Modulators and Switches Based on InP</i> , SPIE VOL 651 Integrated Optical Circuit Engineering III (1986), pg 60-86 | . |
| ✓ | 103 | SILBERBERG, Y. et al., <i>Digital Optical Switch</i> , Appl. Phys. Lett., VOL 51, No.16, Oct 19, 1987, pg 152-154 | . |
| ✓ | 104 | SMIT, M.K., <i>New Focusing and Dispersive Planar Component Based on an Optical Phased Array</i> , Electronics Letters; Mar 31, 1988, VOL 24, No.7; Pg 385-386 | . |
| ✓ | 105 | SMITH, S.D. et al., <i>CW Operation of Corner Cavity Semiconductor Lasers</i> , IEEE Photonics Technology Letters, VOL 5, No.8, Aug 1993; pg 876-879 | . |
| ✓ | 106 | SNEH, A. et al., <i>Compact Low Crosstalk and Low Propagation Loss Quantum-Well Y-Branch Switches</i> , PDP 4-1 - 4-5 | . |
| ✓ | 107 | SOOLE, J.B.D. et al., <i>Use of Multimode Interference Couplers to Broaden the Passband of Wavelength-Dispersive Integrated WDM Filters</i> , IEEE Photonics Technology Letters, VOL 8, No.10, Oct 1996; pg 1340-1342 | . |
| ✓ | 108 | STOLL, L. et al., <i>1.8 Optical Matrix Switch on InP/InGaAsP with Integrated Mode Transformers</i> , Optical Switches and Modulators II, pg 531-534 | . |
| ✓ | 109 | STOLL, L. et al., <i>Compact and Polarization Independent Optical Switch on InP/InGaAsP</i> , TuB7.2; pg 337-340 | . |
| ✓ | 110 | STUTIUS, W. et al., <i>Silicon Nitride Films On Silicon For Optical Waveguides</i> , Applied Optics, VOL 16, No.12, Dec 1977, pg 303-307 | . |
| ✓ | 111 | SUGIE, T. et al., <i>1.3-μm Laser Diodes with a Butt-jointed Selectively Grown Spot-Size Converter</i> , ThB2-6, IOOC95, pg 52-53 | . |
| ✓ | 112 | TADA, K. et al., <i>Bipolar Transistor Carrier-Injected Optical Modulator/Switch: Proposal and Analysis</i> , IEEE Electron Device Letters, VOL EDL-7, No.11, Nov 1986, pg 605-606 | . |
| ✓ | 113 | TAKADA, et al., <i>Optical Spectrum analyzer using Cascaded AWG's with Different Channel Spacings</i> , Photonics Technology Letters, July 1999, Vol. 11, No. 7, pp. 863-864. | . |
| ✓ | 114 | TAKAHASHI, H. et al., <i>Arrayed Waveguide Grating for Wavelength Division Multi/Demultiplexer with Nanometre Resolution</i> , PWG-NTT-7 | . |
| ✓ | 115 | TAKIGUCHI, K. et al., <i>Dispersion Compensation Using a Planar Lightwave Circuit Optical Equalizer</i> , Photonics Technology Letters, April 1994, Vol. 6, No. 4, pp. 561-564. | . |
| ✓ | 116 | TIEN, P.K. et al., <i>Formation of Light-Guiding Interconnections in an Integrated Optical Circuit by Composite Tapered-Film Coupling</i> , Applied Optics, VOL 12, No. 8, Aug 1973; pg 1909-1916 | . |
| ✓ | 117 | TOYODA et al., <i>Thermoplastic Switch and Wavelength Tunable Filter using Polymer Waveguides</i> , Abstract of paper presented at Opticomm 2001 on August 22, 2001. | . |
| ✓ | 118 | TREYZ, G.V. et al., <i>Silicon Optical Modulators at 1.3 μm Based on Free-Carrier Absorption</i> , IEEE Electron Device Letters, VOL 12, No.6, June 1991; pg 276-278 | . |
| ✓ | 119 | TSUDA, H. et al., <i>Performance Analysis of a Dispersion Compensator Using Arrayed-Waveguide Gratings</i> , Journal of Lightwave Technology, August 2000, Vol. 18-No.8, pp 1139-1147. | . |

| | | |
|--------------------|-----------------|--------------------|
| Examiner Signature | Date Considered | Examiner Signature |
|--------------------|-----------------|--------------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3).

⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.


PTO/SB/08B (08-00)


Approved for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

| | | | | | |
|--|---|----|---|--------------------------|------------|
| Substitution for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets necessary)</i> | | | | COMPLETE IF KNOWN | |
| | | | | Application Number | 09/872,473 |
| | | | | Filing Date | 06/01/01 |
| | | | | First Named Inventor | Lin |
| | | | | Group Art Unit | 2874 |
| | | | | Examiner Name | Unknown |
| SHEET | 6 | OF | 6 | Docket Number | LIGHT1960 |



[illegible]

| | | | |
|--------------------|--|-----------------|--|
| Examiner Signature | | Date Considered | |
|--------------------|--|-----------------|--|

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3).

⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.